



TITLE:

<記事>7.業績目録

AUTHOR(S):

CITATION:

<記事>7.業績目録. 瀬戸臨海実験所年報 1994, 7: 20-21

ISSUE DATE:

1994-01-31

URL:

<http://hdl.handle.net/2433/178896>

RIGHT:

7. 業績目録

欧文業績

800. Nakabo, T., Ikeda, H. & Araga, C. 1992. The female of a rare dragonet (Teleostei: Callionymidae) from Japan with comments on its synonymy. Publ. Seto Mar. Biol. Lab., 35: 289–293.
801. Nishikawa, T. 1992. The ascidians of the Japan Sea. III. Publ. Seto Mar. Biol. Lab., 35: 303–334.
802. Kobayashi, N. 1992. Spawning periodicity of sea urchins at Seto. IV. *Hemicentrotus pulcherrimus*. Publ. Seto Mar. Biol. Lab., 35: 335–345.
803. Kearn, G. C., Ogawa, K. & Maeno, Y. 1992. The oncomiracidium of *Heteraxine heterocerca*, a monogenean gill parasite of the yellowtail *Seriola quinqueradiata*. Publ. Seto Mar. Biol. Lab., 35: 347–350.
804. Kearn, G. C., Ogawa, K. & Maeno, Y. 1992. Egg production, the oncomiracidium and larval development of *Benedenia seriolae*, a skin parasite of the yellowtail, *Seriola quinqueradiata*, in Japan. Publ. Seto Mar. Biol. Lab., 35: 351–362.
805. Wada, K. 1992. Temporal change in density and size structure of the sea cucumber *Polycheira rufescens* inhabiting the intertidal boulder beach at Hatakejima Island, Tanabe Bay, central Japan. Publ. Seto Mar. Biol. Lab., 35: 363–370.
806. Kubota, S. 1992. Chromosome number of a bivalve-inhabiting hydroid, *Eugymnanthea japonica* (Leptomedusae: Eirendae) from Japan. Publ. Seto Mar. Biol. Lab., 35: 383–386.
807. Kubota, S. 1992. Four bivalve-inhabiting hydrozoans in Japan differing in range and host preference. Sci. Mar., 149–159.
808. Wada, K. 1993. Territorial behavior, and sizes of home range and territory, in relation to sex and body size in *Ilyoplax pusilla* (Crustacea: Brachyura: Ocypodidae). Mar. Biol., 115: 47–52.
809. Kearn, G. C. 1993. A new species of the genus *Enoplocotyle* (Platyhelminthes: Monogenea) parasitic on the skin of the moray eel *Gymnothorax kidako* in Japan, with observations on hatching and the oncomiracidium. J. Zool., 229: 533–544.
810. Yusa, Y. 1993. Copulatory load in a simultaneous hermaphrodite *Aplysia kurodai* Baba, 1937 (Mollusca; Opisthobranchia). Publ. Seto Mar. Biol. Lab., 36: 79–84.
811. Kubota, S. 1993. A new host of *Eugymnanthea japonica* (Leptomedusae, Eirenidae) in Japan. Publ. Seto Mar. Biol. Lab., 36: 93–94.
812. Yamato, S. 1993. A new amphilocheid species (Crustacea: Amphipoda: Amphilocheidae) from a spiny lobster. Publ. Seto Mar. Biol. Lab., 36: 99–106.
813. Kearn, G. C. 1993. *Triloculotrema japonicae* n. g., n. sp. (Monogenea: Monocotylidae) from the olfactory sacs of the Japanese topeshark *Hemitriakis japonica* (Müller & Henle, 1839) (Carcharhiniformes: Triakidae).

邦 文 榮 績

341. 山本智子. 1992. 隣接するタイドプール間でみられた生物相の相違とその決定要因. 南紀生物, 34: 11–15.
342. 竹之内孝一. 1992. 田辺湾における1980年と1991年の“イシダタミガイ”の分布の変化. 南紀生物, 34: 95–96.
343. 小林直正. 1992. 海水および化学物質のウニ卵による毒性検定. 水環境学会誌, 15: 643–654.
344. 吉村郊子・和田恵次. 1992. チゴガニにおける繁殖活動の季節性. 甲殻類の研究, 21: 125–138.
345. 田名瀬英朋. 1992. 和歌山県白浜町に漂着したハナゴンドウ. 瀬戸臨海実験所年報, 6: 27–28.
346. 服部昭尚. 1993. 田辺湾湾口部における魚類の種構成と個体数の変化—6・7年前および17・18年前との比較—. 関西自然保護機構会報, 15: 25–45.